

LQ121S1DG31

Color TFT-LCD Module
(FA/POS/Measuring instruments)

Features

- 31 cm [12.1"] SVGA format
- Built-in long life CCFT backlight (50 000 h, easily replaceable)
- Connector is attached from the back of the module
- High brightness (300 cd/m²)
- Wide viewing angle
(Horizontal: 140° Vertical: 110°)


Specifications

Parameter		Unit
Display size	31 [12.1]	cm ["]
Dot format (H x V)	800 x RGB x 600	dot
Dot pitch (H x V)	0.1025 x 0.3075	mm
Active area (H x V)	246.0 x 184.5	mm
Color	262 144	-
Input signal	6-bit CMOS	-
Viewing direction	6:00	-
Backlight type	2CCFT(E)	-

Parameter		Unit
Brightness	300	cd/m ²
Contrast ratio	300 : 1	-
Power consumption	7.2	W
Outline dimensions (W x H x D)	276.0 x 209.0 x 14.0	mm
Weight	775	g
Operating temperature	0 to +50	°C
Storage temperature	-25 to +60	°C

Outline Dimensions

unit : mm



In the absence of confirmation by device specification sheets, SHARP takes no responsibility for any defects that may occur in using any SHARP devices shown in catalogs, data books, etc. Contact SHARP in order to obtain the latest device specification sheets before using any SHARP device. Specifications are subject to change without notice for improvement.