

CAPACITOR SW. CONTACTOR, AC-6, 25KVAR/400V, 24V, 50HZ, 3-POLE, SIZE S0



Figure similar

General technical data:

Protection class IP IP20

Ambient conditions:

Ambient temperature
 • during operation -25 ... +60 °C

Main circuit:

Number of NO contacts for main contacts 3
Number of NC contacts for main contacts 0
Operating current
 • at AC-1 at 400 V
 — rated value 35 A

Control circuit/ Control:

Type of voltage AC
Control supply voltage at AC
 • at 50 Hz rated value 24 ... 24 V
Supply voltage frequency for auxiliary and control current circuit rated value 50 ... 50 Hz

Auxiliary circuit:

Number of NC contacts	
<ul style="list-style-type: none"> • for auxiliary contacts 	0
Number of NO contacts	
<ul style="list-style-type: none"> • for auxiliary contacts 	1
Identification number and letter for switching elements	1










Installation/ mounting/ dimensions:

Mounting type	screw and snap-on mounting onto 35 mm standard mounting rail according to DIN EN 50022
<ul style="list-style-type: none"> • Side-by-side mounting 	Yes
Height	100 mm
Width	45 mm
Depth	135 mm

Connections/ Terminals:

Type of electrical connection	
<ul style="list-style-type: none"> • for main current circuit 	screw-type terminals
<ul style="list-style-type: none"> • for auxiliary and control current circuit 	screw-type terminals

Certificates/approvals

General Product Approval				Declaration of Conformity	Test Certificates
					spezielle Prüfbescheinigung <u>n</u>
CCC	CSA	UL		EG-Konf.	
Shipping Approval				other	
				Bestätigungen	Umweltbestätigung
ABS	DNV	GL	RMRS		
other					
sonstig					

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)
<http://www.siemens.com/industrial-controls/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RT16271AB01>

Cax online generator


<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RT16271AB01>


Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3RT16271AB01>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RT16271AB01&lang=en





last modified:

09.04.2016